

भारत सरकार Government of India

भारतीय भूवैज्ञानिक सर्वेक्षण Geological Survey of India

अपरमहानिदेशक व मिशन-4 राष्ट्रीय प्रमुख का कार्यालय

OFFICE OF ADDL. DIRECTOR GENERAL & HEAD NATIONAL MISSION – IV

15 A & B, कीड स्ट्रीट Kyd Street

कोलकाता Kolkata-700016

No. _____/19/C & OD/TC/NMHIV/2015

Dated: 27 फरवरी 2019

परिपत्र CIRCULAR

कोलकाता के EPMA Laboratory में एक नई मशीन स्थापित की जा रही जिसके लिए किए जा रहे सिविल व विद्युत कार्य पूरे हो गए हैं तब पुरानी EPMA मशीन जिसे अस्थाई रूप से बन्द किया गया था को क्रियाशील कर दिया गया है ऐसी आशा है कि नई मशीन भी शीघ्र ही चालू हो जाएगी। विशेषण कार्य हेतु संबंधित अधिकारी को संपर्क करें।

The operation of Older EPMA machine which was suspended temporarily has been made operational as the ongoing process of civil and electrical work for installation of new EPMA machine is completed. It is expected that the new Machine would also become operational shortly. The stakeholders are requested to contact the concerned authorities for analyses of their samples.


27.2.19

आनन्द प्रकाश राय

ID :116510 ; CGS Batch-1985

उपमहानिदेशक

मिशन –IV C